

2018 range  
INCORPORATING NEW  
Thermowood® cladding




# Outdoor Living

Natural products for garden landscaping

TIMBER DECKING • COMPOSITE DECKING • LANDSCAPING • GARDEN BUILDINGS • FENCING

# Contents

- 3 - 4 Decking
- 5 Decking Accessories
- 6 - 7 Composite Decking
- 8 - 9 Thermowood
- 10 Garden Building Material
- 11 Fencing
- 12 Treatment



## Deck Boards


Our deck boards are made from high quality, slow-grown Redwood Pine. This slow growth produces tight, compact growth rings - giving you a stable deck board to build with. Our range of deck boards, in various sizes and profiles, are all FSC® certified.



All timber used outside the home can have a professional preservative treatment to maximise its lifespan. All our Outdoor Living treated timbers are produced using award winning Next Generation TANALITH® wood preservative. This high performance protection allows us to offer 15 years assured performance against decay and insect attack. For more information see back page.




1. 32 x 150mm Grooved & Reeded Reversible Deck Board  
(27 x 144mm Finished size)  
Lengths ranging from 3.0m to 5.4m
2. 32 x 125mm Grooved & Reeded Reversible Deck Board  
(27 x 119mm Finished size)  
Lengths ranging from 3.0m to 5.4m
3. 38 x 125mm Grooved & Smooth Deck Board (32 x 119mm Finished size)  
38 x 150mm Grooved & Smooth Deck Board (32 x 144mm Finished size)  
Lengths ranging from 3.0m to 5.4m.  
3.6m and 4.8m lengths- available to order.



# Decking

Extend your home into your garden..



Use our anti-slip decking  
on steps to reduce  
the risk of slipping...



Any surfaces of treated timber revealed by cutting must be treated with a suitable brush-on end grain preservative to maintain the integrity of the preservative treatment. See back page.



## Newels

1. Turned Newel 82 x 82 x 1295mm
2. Chamfered & Beaded Newel 82 x 82 x 1295mm
3. Contemporary Newel 82 x 82 x 1295mm
4. Softened Edge Post ex 100mm x 100mm 2.4m, 3.0m and 3.6m lengths ex 75mm x 75mm 2.4m and 3.0m lengths Treated to Use Class 4.



Any surfaces of treated timber revealed by cutting must be treated with a suitable brush-on end grain preservative to maintain the integrity of the preservative treatment. See back page.






Introducing the latest in bamboo-plastic composite technology! Tested in some of the harshest climates and conditions in the world, this composite decking is built to withstand all that Mother Nature has to throw at it. The revolutionary capped surface technology gives one of the most hard wearing surface finishes available on the market. The surface will not expand and contract like other composites.

20mm x 140mm - 4.8m Lengths



Tiger Cove




Espresso Roast



Copper Canyon



Sapphire Silver



Spanish Saffron




Mossel Bay Grey




Boards come with a 25 year guarantee.

*Infinity*™

*Infinity HD*



These 4th generation composite boards are one of the most hard wearing, stain resistant, slip resistant and splinter free surface finishes available.



## Accessories




Matching Utility/Fascia Board  
12mm x 150mm 2.2m lengths

Available Colours:  
Tiger Cove, Espresso Roast, Copper Canyon,  
Sapphire Silver

### Fixing kits

5m<sup>2</sup> Starter Kits and 10m<sup>2</sup> Expansion Kits provide a concealed fixing system for the Eva-Last Composite decking.

Colour headed screws are available to match the decking for discreetly face fixing decking or the Utility/Fascia Board.





Manufactured by SLP Thermowood®

Decay and weather resistance are important characteristics for a cladding board. Thermowood® is an excellent choice for exterior cladding. It is manufactured with high temperature and steam making it naturally weather resistant and environmentally friendly.



### Shiplap

25 x 125mm (20 x 118mm)  
Face cover 108mm  
25 x 150mm (20 x 141mm)  
Face cover 131mm



### Tapered

25 x 150mm (20 x 141mm)  
Face cover 131mm



### R4C

50 x 50mm (42 x 42mm)  
Face cover 42mm  
25 x 100mm (20 x 92mm)  
Face cover 92mm



### PTGV1

25 x 125mm (20 x 118mm)  
Face cover 108mm



### Channel

25 x 150mm (20 x 141mm)  
Face cover 131mm



### L Corner Batten

42 x 42mm



Thermowood® VivaxColorFR is a quality and easy-to-use choice for exterior cladding with all the great characteristics provided by thermal treatment. The easy to install and worry-free product is ready for immediate installation. VivaxColorFR comes with a 10 year guarantee for the paint surface and is fire retardant to fire class B.



25 x 150mm (20 x 141mm)  
Face cover 131mm



### Black Shiplap

25 x 150mm (20 x 141mm)  
Face cover 131mm






Our timber supplier, SCA Merchant Services, has their own timber treatment facilities which utilise Next Generation TANALITH™ wood preservative. This advanced treatment ensures a long term protection against fungal decay and insect attack and provides a long and low maintenance service life.

With over 20 years proven performance, TANALITH™ is a unique formulation which is boosted with the very latest award winning BARamine™ technology. This innovative technology allows an even wider, more robust protection and a deeper and more effective penetration of the preservative into the timber - allowing it to be used with real confidence in a wide range of end uses.

## High Pressure Treatment Process



Your Stockist:

The controlled treatment process uses proven vacuum, high pressure technology and the resulting TANALISED™ timber has an appealing even green colour which gradually weathers to a honey brown and eventually a silver grey. Treated timber can be coated if desired - refer to coating manufacturer's guidelines for product suitability.

**Tanalised™  
TIMBER**

**Tip**



Any preservative treated timber surface exposed by cross cutting, drilling, notching or boring must be brushed with a suitable end-grain preservative to maintain the integrity of the treatment.

## Confidence in our Treated Timbers

The high performance achieved with Next Generation TANALITH™ wood preservative combined with our professional treatment practices, means we can offer a 15 year assured performance on our Outdoor Living treated timbers - ask us for more details.



**SCA Merchant Services**  
Your one-stop-shop for quality timber products

SCA Merchant Services - Welshpool  
Tel: 01938 554 999  
Fax: 01938 554 982  
Email: [merchantservices@sca.com](mailto:merchantservices@sca.com)

SCA Merchant Services - Cumbernauld  
Tel: 01236 454 916  
Fax: 01236 454 921

